

BID & BUILD CONSTRUCTION GROUP ESTIMATE & TAKEOFF SERVICE

Date:	N/A	TOTAL		Amount	\$ -	
Project:	N/A	OVERHEAD AND PROFIT	20%	\$ -	-	
Project Location:	N/A	TOTAL BASE BID		\$ -	-	
Project Scope:	Lumber & Framing					

TOTAL		
OVERHEAD AND PROFIT		20%
TOTAL BASE BID		

Amount	
\$	-
\$	-
\$	-



SUMMARY

TRADE COST															
		DIV-01	GENERAL REQUIRMENTS											\$	-
		DIV-05	METAL											\$	-
		DIV-06	WOOD,PLASTIC & COMPOSITES											\$	-

DETAILED ESTIMATE

ITEM #	REF. SHEET	DETAIL	CSI SECT	DESCRIPTION	QTY.	WASTAGE	QTY WITH WASTAGE	UNIT	UNIT LABOR HOUR	TOTAL LABOR HOUR	PER HOUR LABOR RATE	TOTAL LABOR COST	UNIT MATERIAL COST	TOTAL MATERIAL COST	TOTAL ITEM COST	TRADE COST
			DIV-01	GENERAL REQUIREMENTS												\$
				Supervision and Coordination	1	0%	1	LS	\$	-	\$	-	\$	-	\$	-
				Submittals and shop drawings	1	0%	1	LS	\$	-	\$	-	\$	-	\$	-
				Final cleaning	1	0%	1	LS	\$	-	\$	-	\$	-	\$	-
				Mobilization costs	1	0%	1	LS	\$	-	\$	-	\$	-	\$	-
				Bond @ 2%	1	0%	1	LS	\$	-	\$	-	\$	-	\$	-
				Temporary Control & Facilities	1	0%	1	LS	\$	-	\$	-	\$	-	\$	-
				Scaffolding	1	0%	1	LS	\$	-	\$	-	\$	-	\$	-
			DIV-05	METAL												\$
				External Wall Framing												
				Exterior Wall - (215 Lf) (18'-2" H)												
1	S-2	S-2		8" Cold Formed Metal Stud @ 16" O.C. (3905 Sf)	2937	10%	3,230	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	215	10%	237	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	215	10%	237	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	430	10%	473	LF	\$	-	\$	-	\$	-	\$	-
				Exterior Wall - (18 Lf) (19'-6" H)												
1	S-2	S-2		8" Cold Formed Metal Stud @ 16" O.C. (351 Sf)	264	10%	290	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	18	10%	20	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	18	10%	20	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	36	10%	40	LF	\$	-	\$	-	\$	-	\$	-
				Exterior Wall - (527 Lf) (16'-0" H)												
1	S-2	S-2		8" Cold Formed Metal Stud @ 16" O.C. (8432 Sf)	6340	10%	6,974	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	527	10%	580	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	527	10%	580	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	1054	10%	1,159	LF	\$	-	\$	-	\$	-	\$	-
				Exterior Wall - (566 Lf) (14'-6" H)												
1	S-2	S-2		8" Cold Formed Metal Stud @ 16" O.C. (8207 Sf)	6171	10%	6,788	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	566	10%	623	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	566	10%	623	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	1132	10%	1,245	LF	\$	-	\$	-	\$	-	\$	-
				Exterior Wall - (88 Lf) (21'-2" H)												
1	S-2	S-2		8" Cold Formed Metal Stud @ 16" O.C. (1862 Sf)	1400	10%	1,541	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	88	10%	97	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	88	10%	97	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	176	10%	194	LF	\$	-	\$	-	\$	-	\$	-
				Interior Wall Framing												
				A Type - (22 Lf) (13'-6"H)												
1	S-2	S-2		3 5/8" 25 Ga. Metal Stud @ 16" O.C. (297 Sf)	223	10%	246	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	22	10%	24	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	22	10%	24	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	88	10%	97	LF	\$	-	\$	-	\$	-	\$	-
				A Type - (13 Lf) (12'-6"H)												
1	S-2	S-2		3 5/8" 25 Ga. Metal Stud @ 16" O.C. (162 Sf)	122	10%	134	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	13	10%	14	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	13	10%	14	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	52	10%	57	LF	\$	-	\$	-	\$	-	\$	-
				A Type - (526 Lf) (11'-0"H)												
1	S-2	S-2		3 5/8" 25 Ga. Metal Stud @ 16" O.C. (5786 Sf)	4350	10%	4,785	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	526	10%	579	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	526	10%	579	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	2104	10%	2,314	LF	\$	-	\$	-	\$	-	\$	-
				AA Type - (647 Lf) (11'-0"H)												
1	S-2	S-2		3 5/8" / 6" 20 Ga. Metal Stud @ 16" O.C. (7117 Sf)	5351	10%	5,886	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	647	10%	712	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	647	10%	712	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	2588	10%	2,847	LF	\$	-	\$	-	\$	-	\$	-
				A1 Type - (1180 Lf) (12'-0"H)												
1	S-2	S-2		6" 20 Ga. Metal Stud @ 16" O.C. (14160 Sf)	10646	10%	11,711	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Top Tracking	1180	10%	1,298	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Bottom Tracking	1180	10%	1,298	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		Sealant	4720	10%	5,192	LF	\$	-	\$	-	\$	-	\$	-
				Steel Column												
				C1 - HSS5x5x1/4 Steel Column3/4"x14"x1'-2" Base Plate	1	0%	1	EA	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		C1 - HSS5x5x1/4 Steel Column3/4"x14"x1'-2" Base Plate	14	0%	14	EA	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		C2 - HSS5x5x3/8 Steel Column3/4"x14"x1'-2" Base Plate	6	0%	6	EA	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		C3 - HSS6x6x1/2 Steel Column3/4"x14"x1'-2" Base Plate	9	0%	9	EA	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		C4 - HSS8x8x3/8 Steel Column3/4"x14"x1'-2" Base Plate	2	0%	2	EA	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		C5 - HSS8x8x1/4 Steel Column3/4"x14"x1'-2" Base Plate	5	0%	5	EA	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		C7 - HSS6x6x3/6 Steel Column3/4"x14"x1'-2" Base Plate	4	0%	4	EA	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		C6 - 6"Dia Steel Pipe	12	0%	12	EA	\$	-	\$	-	\$	-	\$	-
				Steel Header												
				2-6000S200-54 B.B Header w/ 600T150-54	541	10%	595	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		2-1000S200-97 B.B Header w/ 600T150-68	220	10%	242	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		2-1200S200-97 B.B Header w/ 600T150-68	40	10%	44	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		4 - 2-1200S250-97 B.B Header w/ 600T150-68	11	10%	12	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		7 - 2-1000S250-97 B.B Header w/ 600T150-68	22	10%	24	LF	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		9 - 2-1000S250-118 B.B Header w/ 600T150-68	12	10%	14	LF	\$	-	\$	-	\$	-	\$	-
				Steel Beam												
				HSS8x4x3/16 Steel Beam (263 Lf)	3814	10%	4,195	LBS	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		HSS8x4x5/16 Steel Beam (74 Lf)	1724	10%	1,897	LBS	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		HSS8x8x1/8 Steel Beam (16 Lf)	413	10%	454	LBS	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		HSS12x8x1/4 Steel Beam (17 Lf)	554	10%	610	LBS	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		HSS12x8x3/16 Steel Beam (11 Lf)	272	10%	299	LBS	\$	-	\$	-	\$	-	\$	-
1	S-2	S-2		HSS14x6x5/16 Steel Beam (21 Lf)	846	10%	931	LBS	\$	-	\$	-	\$	-	\$	-

ITEM #	REF. SHEET	DETAIL	CSI SECT	DESCRIPTION	QTY.	WASTAGE	QTY WITH WASTAGE	UNIT	UNIT LABOR HOUR	TOTAL LABOR HOUR	PER HOUR LABOR RATE	TOTAL LABOR COST	UNIT MATERIAL COST	TOTAL MATERIAL COST	TOTAL ITEM COST	TRADE COST
1	S-2	S-2		HSS16x8x5/16 Steel Beam (65 Lf)	65	10%	72	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		HSS18x6x5/16 Steel Beam (113 Lf)	5514	10%	6,066	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		W8x18 Steel Beam (110 Lf)	1980	10%	2,178	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		W12x14 Steel Beam (16 Lf)	224	10%	246	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		W14x22 Steel Beam (50 Lf)	1100	10%	1,210	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		W16x26 Steel Beam (52 Lf)	1352	10%	1,487	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		W16x31 Steel Beam (83 Lf)	2573	10%	2,830	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		W16x40 Steel Beam (70 Lf)	2800	10%	3,080	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		W21x50 Steel Beam (33 Lf)	1650	10%	1,815	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		W21x57 Steel Beam (64 Lf)	3648	10%	4,013	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		W24x62 Steel Beam (94 Lf)	5828	10%	6,411	LBS	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Steel Angle Beam												
1	S-2	S-2		L6x4x5/16 LLV	20	10%	22	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		L3x3x3/16 Steel Angle w/ 2#12 Tek Screws @ EA Stud 2-#12 Tek Screw to Blocking Membrane	400	10%	441	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Steel Frame												
1	S-2	S-2		C4x5.4 Steel Frame around RTU	519	10%	571	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Roof Framing												
1	S-2	S-2		12K1 Metal Joist @ 5'-4" O.C (4086 Sf)	772	10%	849	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		14K3 Metal Joist @ 5'-4" O.C (485 Sf)	103	10%	113	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		14K1 Metal Joists @ 5'-4"O.C (2618 Sf)	502	10%	552	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		20K3 Metal Joists @ 5'-4" O.C (27956 Sf)	5242	10%	5,766	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		24K4 Metal Joists @ 5'-4"O.C (754 Sf)	166	10%	183	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		40LH08 Metal Joists @ 5'-4" O.C (9195 Sf)	1630	10%	1,793	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		34K4 Metal Joist @ 5'-4" O.C (946 Sf)	195	10%	215	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		30K10 Metal Joist @ 5-4" O.C (2324 Sf)	710	10%	781	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Metal Joists												
1	S-2	S-2		20K4 Metal Joists	43	10%	47	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		12KCS1 Metal Joists	106	10%	117	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		20KCS2 Metal Joists	968	10%	1,065	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		24KCS4 Metal Joists	67	10%	74	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		30KCS10 Metal Joists	94	10%	103	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		40LH08 Metal Joists	606	10%	667	LF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Metal Studs												
1	S-2	S-2		2-600S250-43 Jack Stud	176	0%	176	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2-600S250-68 Jack Stud	2	0%	2	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		3-600S250-43 Jack Stud	4	0%	4	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		3-600S250-54 Jack Stud	3	0%	3	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		600S250-43 Jamb Stud	178	0%	178	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2-600S250-68 Jamb Stud	2	0%	2	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		3-600S250-43 Jamb Stud	2	0%	2	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		3-600S250-54 Jamb Stud	3	0%	3	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Metal Decking												
1	S-2	S-2		1.5B22 Metal Span Deck	31664	10%	34,830	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		1.5B20 Metal Span Deck	25731	10%	28,304	SF	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Holdowns												
1	S-2	S-2		HDU2	33	0%	33	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		HDU8	4	0%	4	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		HDU5	1	0%	1	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		WSWH 12x9 AB1HS	5	0%	5	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		CB46 Metal Strap	1	0%	1	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		CB66 Metal Strap	2	0%	2	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Joists Hanger												
1	S-2	S-2		HU Hanger	22	0%	22	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		HUCQ Hanger	2	0%	2	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		HGUS Hanger	3	0%	3	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		Truss Hanger By Truss Supplier	8	0%	8	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
			DIV-06	WOOD, PLASTIC & COMPOSITES												\$ -
				Exterior Wall												
1	S-2	S-2		Exterior Stud Wall (374 Lf)												
1	S-2	S-2		2x6 Wood Stud @ 16" O.C (3616 Sf)	281	0%	281	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2x6 Top Plate @ 10'	75	0%	75	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2x6 Bottom Plate @ 10'	33	0%	33	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		Exterior Stud Wall (31.4 Lf)												
1	S-2	S-2		2x4 Wood Stud @ 16" O.C (304 Sf)	24	0%	24	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2x4 Top Plate @ 10'	6	0%	6	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2x4 Bottom Plate @ 10'	3	0%	3	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Interior Wall												
1	S-2	S-2		Interior Stud Wall (153 Lf)												
1	S-2	S-2		2x6 Wood Stud @ 16" O.C (1480 Sf)	115	0%	115	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2x6 Top Plate @ 10'	31	0%	31	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2x6 Bottom Plate @ 10'	15	0%	15	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		Interior Stud Wall (206 Lf)												
1	S-2	S-2		2x4 Wood Stud @ 16" O.C (1992 Sf)	155	0%	155	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2x4 Top Plate @ 10'	41	0%	41	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2x4 Bottom Plate @ 10'	20	0%	20	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Shearwall												
1	S-2	S-2		Wall Type 1 - 3/8"x4"x8' Sheathing APA Rated - 260 PLF	61	0%	61	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		Wall Type 2 - 3/8"x4"x8' Sheathing APA Rated - 260 PLF	37	0%	37	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		Wall Type 3 - 3/8"x4"x8' Sheathing APA Rated - 260 PLF	6	0%	6	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		Wall Type 4D - 3/8" x4"x8' Sheathing APA Rated - 260 PLF	8	0%	8	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Wood Post & Column												
1	S-2	S-2		4x4 Post	10	0%	10	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		4x6 Post	34	0%	34	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		4x8 Post	1	0%	1	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		6x6 Post	9	0%	9	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		6x8 Post	1	0%	1	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		2-2x6 Post	47	0%	47	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		6x6 Wood Post (2'-0"H)	11	0%	11	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		6x8 Solid Wood Post	1	0%	1	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		4x6 Solid Wood Post	32	0%	32	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		6x6 Solid Wood Post	9	0%	9	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		4x4 Solid Wood Post	3	0%	3	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		4x8 Solid Wood Post	1	0%	1	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
				Woode Header & Beam												
1	S-2	S-2		4x6 HDR @ 4'	2	0%	2	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		4x8 HDR @ 6'	1	0%	1	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		6x6 HDR @ 4'	17	0%	17	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		6x8 HDR @ 8'	1	0%	1	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		6x6 HDR @ 6'	5	0%	5	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		6x8 HDR @ 6'	4	0%	4	EA	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	
1	S-2	S-2		4x8 DR BIM @ 8'	1	0%										

